# KEEP COOL AND PRODUCTIVE WITH (MATRIX)



### **OUTDOOR OSCILLATING WALL FAN**

- 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- All-metal construction
- Chrome grill stand and base painted black
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof
- Drive System: Direct Drive



Model No.	Diameter"	High	CFM Med	Low	PROMO PRICE
EB115	30	7200	5500	3800	309.00

# **FOLDABLE PEDESTAL FAN**

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- Motor: 120 V/60 Hz
- Drive System: Direct Drive
- · Non-Oscillating









INDUSTRIAL	PRODUCTS				
Model	odel CFM				
No.	Diameter"	High	Med	Low	PRICE
EB116	24	7000	4500	3500	299.00

### **TURBO FAN**

- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W
- No. of Speeds: 3



*|||NEW* 




**MATRIX** 

Model No.	Diameter"	PROMO PRICE
FB117	20	62,95

# **RECHARGEABLE** INDOOR/OUTDOOR FAN

- · Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- · This fan has a variable speed setting
- USB charging port on the control box can be used to recharge digital devices
- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor
- Colour: Yellow
- Voltage: 24 V
- Power: 25 W
- RPM: 1700
- Re-Charge time: 4-5 Hrs





# LIGHT INDUSTRIAL **AIR CIRCULATING FANS**

- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord





# MATRIX

PROMO	FM	CF			Model
PRICE	Low	High	HP	Description	No.
				TING, 3 SPEEDS	OSCILLA
255.00	4050	7525	1/4	26" Pedestal	EA282*
285.00	6780	8778	1/3	30" Pedestal	EA283*
215.00	4050	7525	1/4	26" Wall Mount	EA284
239.00	6780	8775	1/3	30" Wall Mount	EA654
			EDS	CILLATING, 2 SPE	NON OS
215.00	6060	7700	1/4	26" Pedestal	EA657*
239.00	7000	8000	1/3	30" Pedestal	EA571*
179.00	6060	7700	1/4	26" Wall Mount	EA655
199.00	7000	8000	1/3	30" Wall Mount	EA656
	,			30" Wall Mount adjustable height and a h	

# **HEAVY-DUTY OSCILLATING FANS**

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Open motor type







Model No.	Description	High	CFM Med	Low	PROMO PRICE
EA666	Pedestal	13 200	7321	4758	449.00
EA667	Wall Mount	13400	7805	5070	375.00

# **HIGH VELOCITY OSCILLATING WALL FAN**

- Adjustable tilting fan head
- · Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
  - Diameter: 20"
  - No. of Speeds: 3
    - Voltage: 120 V HP: 1/5

Model		CFM		PROMO
No.	High	Med	Low	PRICE
EAGGO	4800	4500	4000	1/5 00



# **INDUSTRIAL-DUTY AIR CIRCULATING FANS**

- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2

# **MATRIX**



Model			CF	M	PROMO
No.	Description	HP	High	Low	PRICE
OSCILLA	ATING				
EA643*	24" Pedestal	1/4	11800	7760	339.00
EA647*	30" Pedestal	1/3	13 200	6700	379.00
EA645	24" Wall Mount	1/4	11 500	7680	289.00
EA649	30" Wall Mount	1/4	10780	7760	319.00
NON-OS	SCILLATING				
EA642*	24" Pedestal	1/4	11800	7760	289.00
EA646*	30" Pedestal	1/4	10780	7440	319.00
EA644	24" Wall Mount	1/4	11500	7680	245.00
EA648	30" Wall Mount	1/4	10780	7440	269.00

<sup>\*</sup> Features adjustable height and a heavy-duty round base for added stability



# 20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
  - All-metal construction
  - · Chrome grill, black painted base
    - Head tilting capability of 360°
      - · Adjustable height
      - 6' SJT type power cord




Model		CFM		PROMO
Vo.	High	Med	Low	PRICE
EA289	5950	4550	3850	179.00

# 24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- · Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- · Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord







# HIGH VELOCITY FLOOR FAN

- All-metal construction
- · Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 1/5




# MATRIX\*

EA290

Model		CFM		PROMO
No.	High	Med	Low	PRICE
EA661	4900	4400	4150	119.00

## **FLOOR FANS**



- All-metal construction3-prong plug with
- ground industrial wire
- Rotates up for vertical airflow
  - Chrome finish





Model No.	Dia."	High	CFM Med	Low	PROMO PRICE
EA528	16	2370	1950	1560	89.95
EA290	18	4725	3850	2975	99.95

# LIGHT INDUSTRIAL DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord



### MATRIX° INDUSTRIAL PRODUCTS

Model			CFM				
No.	Dia."	HP	High	Low	PRICE		
EA286	28	2/5	8050	6650	345.00		
EA288	36	3/5	11 200	9100	399.00		

# LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

• All-metal construction, painted black & chrome with aluminum blades

- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz

EA778



# MATRIX\* INDUSTRIAL PRODUCTS

Model No.	Dia."	НР	No.of Speeds	High	CFM Med	Low	PROMO PRICE
<b>EA778</b>	24	3/10	3	7770	6000	4500	169.00
EB114	30	1/3	2	9500	-	6700	229.00

# HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- Fully enclosed motor
- All-metal construction
  - 12' power cord
  - HP: 3/4 • No. of Speeds: 2




Model		CFM PROMO		
No.	Dia."	High	Low	PRICE
EA662	42	17900	7400	699.00

# **OSCILLATING TOWER FAN**

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- No. of Speeds: 3
- Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 32"







# **OUTDOOR MISTING & OSCILLATING PEDESTAL FAN**

· Features a misting hub, adjustable height and heavy-duty round base for added stability

- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- Diameter: 30"
- · No. of Speeds: 3
- Can be used indoor/outdoor



Model No.	High	CFM Med	Low	PROMO PRICE
EA829	7200	5470	3780	399.00

# **OSCILLATING DESK FANS** WITH PUSH BUTTONS

- 3-speed push button control
- · Rotating or fixed air direction
- · Portable and easy to assemble
  - Topple resistant base

Model		PROMO
No.	Dia."	PRICE
EA305	12	29.95
EA306	16	39.95

MATRIX MATRIX

# 16" WALL MOUNT **OSCILLATING FAN**

- · Rotating or fixed air direction
- Easy to assemble
- · Remote with timer mode included
- 3 speed with Eco mode feature
- Motor: 120 V/55 Hz



# **MATRIX**

Model	CFM			PROMO	
No.	High	Med	Low	Eco	PRICE
EA526	1600	1400	1220	940	78.95

# **OUTDOOR OSCILLATING PEDESTAL FAN**

• Enclosed/Waterproof motor type (IP44)

 Features adjustable height and heavy-duty round base for added stability

• 9.5' power cord with UL GFCI plug

 All-metal construction, chrome grill stand and base painted black

- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model		CFM		PROMO
No.	High	Med	Low	PRICE
EA779	7200	5470	3780	369.00

# 20" BOX FAN

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- This fan is designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
  - Top-mounted controls



Model	PROMO
No.	PRICE
EA527	41.95

# **OSCILLATING PEDESTAL FANS**

- 3-speed push button front control
- Adjustable height
- · Rotating or fixed air direction
- Easy to assemble



Model	PROMO	
No.	Dia."	PRICE
EA658	16	29.95
EA551	18	44.95

# **MOBILE 3-IN-1 AIR CONDITIONER**

• 3-in-1 System (A/C, Fan and dehumidify)

- Control panel with LED display on unit and remote control included
  - Equipped with casters
    - 24 hour timer
  - 3 fan and cooling speeds
- 17-1/3" W x 12-4/5" D x 27-1/3" H
  - · Colour: White
  - Voltage: 115 V
  - Frequency: 60 Hz
  - BTU Rating: 12000

**PROMO PRICE** 

Model No. **EA830** 

### **MOBILE 3-IN-1 AIR CONDITIONER**

• 3-in-1 system (A/C, fan, and dehumidifier)

· Features Control panel with LED display on unit with remote control

- Equipped with casters
- 24 hour timer
- Includes: Window kit
- 11-13/16" W x 12-5/8" D x 27-3/16" H
- Type: Portable
- · Colour: White
- Voltage: 115 V
- Frequency: 60 Hz

• BTU Rating: 8000

**PROMO PRICE** 

IIINEW!

Model No. **EB118** 



**MATRIX** 

# **DEHUMIDIFIER**

- Water bucket full indicator
- Omni-directional casters
- 24-hour timer

**MATRIX** 

- 6 L tank capacity
- Auto restart function and auto defrosting
- Energy-Star Certified
- Washable filter
- LED display
- Coverage: 4000 sq. ft.
- · Capacity: 50 Pt.



Model No. **EA831** 

# PROMO PRICE



# **ELECTRONIC WINDOW** HORIZONTAL AIR CONDITIONER

- Cools up to 350 square feet
- 3 fan speeds
- · Washable filter
- · Remote control included
- Includes: Window filler panel, Mounting hardware
- BTU Rating: 8000
- 18-1/2" W x 15-11/16" D x 13-3/8" H
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0





Model No. EB119



**PROMO PRICE** 

# **HEAT STRESS STOP WATCH**

- Measures temperature and humidity
- · Calculates heat index as well as dew point
- Stopwatch/chronograph mode with 1/100 second resolution
- · LCD display with LED backlight







# **6" CLIP-ON & DESK FAN**

- 2-speed motor
- · Convertible clip or desk feature
- Tilting head

**PROMO PRICE** 

Model No. **EA304** 





