

# SAVE ON THESE MUST HAVE SEASONAL PRODUCTS

## POLYETHYLENE TARPULINS

- 14 x 14 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 200 micrometers (8 mil) thick
- Increased UV-resistance for long life
- Colour: Black
- **Light Industrial Duty**



J1327

Model No.	Dim.* L' x W'	PROMO PRICE	Model No.	Dim.* L' x W'	PROMO PRICE
J1327	8 x 6	6.10	J1333	30 x 20	76.00
J1328	10 x 8	10.15	J1334	30 x 24	91.25
J1329	20 x 10	25.35	J1335	40 x 30	152.00
J1330	16 x 12	24.30	J1336	50 x 30	190.00
J1331	20 x 16	40.55	J1337	50 x 40	255.00
J1332	24 x 18	54.75	J1338	60 x 40	305.00

\* Finished sizes may vary due to hem allowance

## INDUSTRIAL GREEN/SILVER TARPULINS

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 20"
- Increased UV resistance for long life
- Water-resistant coating
- 14 x 14 high density weave
- 225 micrometers (9-mil) thick
- 9" x 9" three layers on each four corners
- Silver side provides heat and UV light diversion

KLETON



Model No.	Dim.* L' x W'	PROMO PRICE	Model No.	Dim.* L' x W'	PROMO PRICE
JB567	6 x 8	6.95	JB572	20 x 30	87.00
JB568	8 x 10	11.85	JC516	30 x 40	179.00
JB569	10 x 12	17.55	JC517	30 x 50	259.00
JB570	12 x 16	28.10	JC518	40 x 50	299.00
JB571	16 x 20	46.70	JB573	40 x 60	359.00

\* Finished sizes may vary due to hem allowance

## POLYETHYLENE TARPULINS



- 10 x 10 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 150 micrometers (6 mil) thick
- Increased UV-resistance for long life
- Colour: Camouflage
- **Heavy Duty**

Model No.	Dim.* L' x W'	PROMO PRICE	Model No.	Dim.* L' x W'	PROMO PRICE
J1319	6 x 8	6.40	J1323	16 x 20	42.55
J1320	8 x 10	10.45	J1324	18 x 24	52.45
J1321	10 x 20	26.65	J1325	20 x 30	78.75
J1322	12 x 16	25.45	J1326	30 x 40	159.00

\* Finished sizes may vary due to hem allowance

## CLEAR TARPULINS

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 weave density
- 200 micrometers (8 mil) thick



Model No.	Dim.* L' x W'	PROMO PRICE	Model No.	Dim.* L' x W'	PROMO PRICE
JD414	8 x 10	12.50	JD417	20 x 30	92.25
JD415	10 x 12	18.65	JD418	30 x 40	189.00
JD416	16 x 20	49.40	JD419	40 x 60	372.00

\* Finished sizes may vary due to hem allowance



## SCOOP SHOVELS


- Perfect for moving and scooping lightweight granulated materials
  - Lightweight construction for comfort and productivity
- Harwood handle with aluminum blade resistant to rust
  - Blade Size: 14" x 18"

*aurora tools*

Model No.	Handle Type	Handle Length"	O.A Length"	PROMO PRICE
NM985	D-Grip	24-1/2	46-5/8	28.95
TYX063	Straight	45-3/4	63-1/2	28.95

## HEAVY-DUTY BOW RAKE

- All-welded curved steel tines
- Tempered carbon steel head
- Ergonomic grip
- Handle Material: Fibreglass
- No. of Tines: 15
- Blade Dimension: 15" x 6"
- Handle Type: Straight
- Overall Length: 64"



*aurora tools*

PROMO PRICE

**31<sup>90</sup>**

Model No.  
TLZ471

## PISTOL GRIP NOZZLES

- Continuous-spray stainless steel clip
- Max. Pressure: 100 PSI
- Rear-Trigger
- Threaded for accessories

*aurora tools*



NM814

NM817

NM816

NM815

Model No.	Water	Insulated	Body Material	PROMO PRICE
NM814	Cold	No	Zinc & Vinyl	7.29

### VINYL MOLDED COMFORT GRIP

NM814	Cold	No	Zinc & Vinyl	7.29
-------	------	----	--------------	------

### HEAVY-DUTY CONSTRUCTION & COMPONENTS

NM817	Hot & Cold	Yes	Zinc & TPR	7.95
NM816	Warm & Cold	Yes	Zinc & TPR	4.95

### ERGONOMIC GRIP FOR LONGER USAGE

NM815	Warm & Cold	Yes	Zinc & ABS	5.69
-------	-------------	-----	------------	------

## BROADCAST SPREADER

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- **Includes:** Raincover, screen
- Load Capacity: 50 lbs.
- Coverage: 15000 sq. ft.
- Spread Width: 10'-12'
- Pneumatic Tire Size: 12" x 4"

*aurora tools*

PROMO PRICE

**149<sup>00</sup>**

Model No.  
NN137

**NEW!**



## BROADCAST SPREADERS WITH STAINLESS STEEL HARDWARE

- Metal gear inside of the gear box
- Stainless steel hardware in the hopper and pivot shaft
- Metal control handle
- Rate setting control on handle for precise adjustments
- **Includes:** Raincover, screen
- Coverage: 15000 sq. ft.
- Spread Width: 10'-12'



**NEW!**

NN138

NN139

*aurora tools*

Model No.	Load Capacity	Pneumatic Tire Size"	PROMO PRICE
NN138	70 lbs.	10	169.00
NN139	125 lbs.	14	269.00

## HAND SPRAYERS

- Ideal for many jobs in the garden, home, farm or commercially
- Chemical resistant poly bottle
- Adjustable nozzle for fine mist or straight stream
- Capacity: 48 oz. (1.42 L)

NJ163



**aurora tools**

Model No.	Seals	Nozzle	Max. Spraying Distance'	PROMO PRICE
NJ163	Buna-N	Poly	13	8.95
NJ164	Viton®	Brass	11	12.75

## LANDSCAPING SHOVELS

- 14-gauge tempered steel blade
- Durable fiberglass handle with rubber grip
  - Forward turned step for extra strength
  - Ergonomic grip

TLZ465

NJ094



**aurora tools**

Model No.	Description	Blade Dim."	O.A. Length"	PROMO PRICE
<b>D-GRIP HANDLE</b>				
NJ093	Round Point	11 x 8-1/2	42	16.25
NJ094	Square Point	11-1/2 x 8-1/2	42	16.25

### STRAIGHT HANDLE

TLZ465	Round Point	11 x 8-1/2	56	17.25
NJ095	Square Point	11-1/2 x 8-1/2	56	17.25

## HEAVY-DUTY SHOVELS

- 12-gauge tempered carbon steel blade
- Durable straight wood handle
- Overall length: 60"
- Straight Handle

NJ098

NJ099



**aurora tools**

Model No.	Description	Blade Dim."	PROMO PRICE
NJ099	Round Point	8-1/2 x 11-1/2	20.50
NJ098	Square Point	9-1/4 x 11-1/2	20.50

## BROADCAST SPREADER

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Coverage: 16,000 sq.ft.
- Comes with rain cover and screen
- Capacity: 100 lbs.

PROMO PRICE

**159<sup>00</sup>**



Model No.  
NJ142

**aurora tools**

## HEAVY-DUTY GARDEN SPADE SHOVEL

- 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage
- Blade Material: Carbon Steel
- Handle Material: Fibreglass
- Blade Size: 12" x 7-1/2"
- Handle Type: D-Grip
- Handle Length: 30-1/2"
- Overall Length: 42"



PROMO PRICE

**20<sup>95</sup>**

Model No.  
NJ143

**aurora tools**

## aurora tools HEAVY-DUTY SHOVELS

- Heavy-duty, 12-gauge carbon steel blade
  - Forward turned step for extra strength
    - Ergonomic grip
  - Welded fulcrum for added leverage
    - Blade Material: Carbon Steel
    - Handle Material: Fibreglass

TLZ467

TLZ468



Model No.	Description	Blade Dim."	O.A. Length"	PROMO PRICE
-----------	-------------	-------------	--------------	-------------

### D-GRIP HANDLE

TLZ466	Round Point	11 x 9	41	23.25
TLZ468	Square Point	11 x 9	41	23.25

### STRAIGHT HANDLE

TLZ467	Round Point	11 x 9	56-1/2	24.50
TLZ469	Square Point	11 x 9	56-1/2	24.50

## INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- Adheres to gravel, concrete, grass and soil
- Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- VOC compliant
- Container Size: 20 oz.
- Net Fill: 17 oz.



**SHIPS PREPAID  
AT 648 CANS.  
Contact us  
for details.**

NC325



Model No.	MFG No.	Colour	Swatch	PROMO PRICE
-----------	---------	--------	--------	-------------

### WATER-BASED APWA COLOURS

NC332	A03801004	Utility Yellow		4.38
NC331	A03901004	Brilliant White		4.38

### WATER-BASED FLUORESCENT COLOURS

NC334	A03610004	Safety Red		4.38
NC335	A03612004	Pink		4.38
NC336	A03620004	Cautious Blue		4.38
NC337	A03630004	Safety Green		4.38
NC338	A03650004	Red/Orange		4.38
NC333	A03700004	Orange		4.38

### SOLVENT-BASED APWA COLOURS

NC328	A03611007	Red		4.83
NC326	A03621007	Blue		4.83
NC329	A03631007	Green		4.83
NC327	A03731007	Bright Orange		4.83
NC325	A03821007	High Visibility Yellow		4.83
NC324	A03900007	Utility White		4.83

### SOLVENT-BASED FLUORESCENT COLOURS

NC322	A03613007	Safety Red		4.83
NC323	A03614007	Neon Green		4.83
NE260	A03615007	Purple		4.83
NE262	A03622007	Hot Pink		4.83
NC320	AT3701007	Red/Orange		4.83
NC321	A03702007	Orange		4.83

Note: Colours may not be exactly as shown

## MULTI-PURPOSE ENAMEL SPRAY PAINT

- For indoor/outdoor industrial-maintenance use
- Surface Coverage: Approximately 22 sq. ft. (2 m<sup>2</sup>)
- Max Operating Temperature: 200°F
- Series: Industrial Choice 1600
- Container Size: 16 oz.
- Net Fill: 12 oz.



KP434



Model No.	MFG No.	Colour	Swatch	PROMO PRICE
-----------	---------	--------	--------	-------------

KP434	1624830	Safety Blue		6.85
KP436	1644830	Safety Yellow		6.85
KP437	1653830	Safety Orange		6.85
KP439	1676830	Ultra-Flat Black		6.85
KP441	1679830	Glossy Black		6.85
KP444	1690830	Flat White		6.85
KP445	1692830	Glossy White		6.85
KP447	1680830	Grey Primer		6.85

Note: Colours may not be exactly as shown

NC310

Cans not  
included



## MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
  - Apply a uniform 1" to 1-1/2" width of paint



Model No.	MFG No.	Description	PROMO PRICE
-----------	---------	-------------	-------------

NC309	K07095	12" Spotter Hand Held Short Wand	32.49
NC310	K07096	34" Hand Held Long Wand	35.99

## LINE-UP® STRIPING PAINT

- **Solvent-based:** For striping asphalt concrete, curbs or other smooth to hard surfaces
- **Water-based:** Non-burning formula, safe on all grass fields
- VOC compliant, free of lead hazards
- Container Size: 20-oz.
- Net Fill: 18 oz.



NE335



**SHIPS PREPAID  
AT 648 CANS.  
Contact us  
for details.**

Model No.	MFG No.	Colour	Swatch	PROMO PRICE
-----------	---------	--------	--------	-------------

### SOLVENT-BASED

NE335	K08300007	Highway White		8.55
NE336	K08301007	Highway Yellow		8.55
NE337	K08302007	Handicap Blue		8.55
NE338	K08303	Firelane Red		8.55
NE339	K08304007	Cover Up Black		8.55

### WATER-BASED

NE333	K08305	Athletic White		6.49
NE334	K08306007	Athletic Yellow		6.49

Note: Colours may not be exactly as shown

## LINE-UP® STRIPING MACHINES

- 18-gauge, all-steel construction
- Provides a smooth ride on hard surfaces
  - 2" to 4" wide stripes
  - 12-can storage

Cans not  
included



### STRIPPING WAND

- For use on line touch up and stenciling

Model No.	MFG No.	Description	Wheels"	PROMO PRICE
-----------	---------	-------------	---------	-------------

NE340	K08340	For Pavement	7	199.99
NE341	K08350	For Athletic Field	10	199.99
NI441	K08360000	34" Striping Wand	3	47.99

## PLASTIC COLUMN & CAST IRON BASE PUMP

- Polypropylene base
- Corrosion-resistant vinyl column and drive shaft
- Fully adjustable automatic vertical float switch
- Top suction screened design prevents clogging
- Air Inlet: 1-1/4" NPT
- Max. Flow Rate: 3270 GPH

**PROMO PRICE**  
**105<sup>00</sup>**



**Model No.**  
**DC657**

## PORTABLE TRANSFER PUMP

- Built-in automatic thermal overload protection
- Convenient carrying handle for easy transport
- 3/4" NPT discharge
- Garden hose included
- Motor: 1/10 HP
- Max. Flow Rate: 264 GPH
- Voltage: 115 V
- Suction Head: 46'
- 6' power cord

**PROMO PRICE**  
**99<sup>95</sup>**



**Model No.**  
**DC655**

## STAINLESS STEEL HOUSING-CAST IRON BASE SUMP PUMPS

- Stainless steel motor shell with durable cast iron volute
- Oil-filled permanent split capacitor motor
  - Built-in automatic thermal overload protector
  - Works with vertical or piggy back float switch for automatic operation
  - 1-1/2" discharge
  - Voltage: 115 V
  - 8' power cord



**DC659**

Model No.	Motor HP	Max. Flow Rate GPH	Amps	PROMO PRICE
<b>DC659</b>	1/3	3630	4.5	<b>145.00</b>
<b>DC660</b>	1/2	4400	5	<b>165.00</b>

## CAST IRON SEWAGE PUMP

- Durable cast iron construction
- Heavy duty cast iron volute and impeller
- Built-in automatic thermal overload protector motor
- Adjustable tethered or piggy back float switch for automatic operation
- Motor: 1/2 HP
- Max. Flow Rate: 3880 GPH
- Voltage: 115 V
- Amps: 6.5 A
- Max. Diameter of Waste: 2"
- 10' power cord

**PROMO PRICE**  
**180<sup>00</sup>**



**Model No.**  
**DC661**

## DUAL VOLTAGE CAST IRON SHALLOW WELL JET PUMP

- For use on shallow well applications up to 25' water level
- Durable cast iron pump body
- Built-in automatic thermal overload protection
- Dual voltage motor (115/230V), factory wired for 115V
- Pressure switch pre-set at 30-50 PSI
- Motor: 1/2 HP
- Max. Flow Rate: 710 GPH

**PROMO PRICE**  
**175<sup>00</sup>**



**Model No.**  
**DC662**

## DUAL VOLTAGE CAST IRON CONVERTIBLE JET PUMP

- For use on shallow well applications up to 25' water level
- If deeper than 25', the pump can be easily converted to deep well operation (deep well pump, 25-80' water level)
- Durable cast iron pump body
- Built-in automatic thermal overload protection
- Dual voltage motor (115/230V), factory wired for 115V
- Motor: 1 HP
- Max. Flow Rate: 920 GPH
- Voltage: 230 V
- Suction Head: 198'

**PROMO PRICE**  
**260<sup>00</sup>**



**Model No.**  
**DC664**

## SPLIT COWHIDE FITTERS GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap



SAP224



SM576



Model No.	Description	Size	PROMO PRICE
SM576*	Standard Quality	Large	2.19/Pair
SM575	Standard Quality	Large	2.19/Pair
SAP228	Standard Quality	X-Large	2.29/Pair
SAP224	Premium Quality	Large	2.49/Pair

\*4" Gauntlet Cuff

## GRAIN COWHIDE FITTERS GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle straps
- Cuff Style: Safety
- Cuff Material: Rubberized
- Unlined
- Thumb Style: Wing
- Cut Pattern: Gunn



SEB100



Model No.	Size	PROMO PRICE
SEC139	Ladies	3.90/Pair
SEB100	Medium	3.90/Pair
SA619	Large	4.05/Pair
SEB101	X-Large	4.40/Pair
SEB102	2X-Large	4.50/Pair

## SPLIT COWHIDE FITTERS GLOVES

- Double layer of leather for premium protection
- Excellent abrasion resistance
- Absorbent cotton-lined palm
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Size: Large



SM579

Model No.	Description	PROMO PRICE
SM578	Outside Double Palm & Index Finger	2.89/Pair
SM579	4" Gauntlet Cuff, Outside Double Palm & Index Finger	3.29/Pair
SD604	Outside Double Palm, Index Finger & Finger Tips	3.89/Pair
SE349	Inside Double Palm & Index Finger	2.85/Pair

## GRAIN COWHIDE LEATHER GLOVES



- Standard quality cow grain palm and index leather
- Top split cowhide leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability



SEE287

Model No.	Size	PROMO PRICE
SEE287	Small	6.85/Pair
SEE288	Medium	7.19/Pair
SEE289	Large	7.89/Pair
SEE290	X-Large	8.29/Pair
SEE291	2X-Large	8.89/Pair

## GRAIN COWHIDE DRIVERS GLOVES

- Excellent comfort, durability and dexterity
- Oil and water resistant
- Provides a snug fit and a good sense of touch
- Unlined
- Thumb Style: Keystone
- Cuff Style: Hemmed



SM584

Model No.	Size	PROMO PRICE
SM584	Small	5.05/Pair
SM585	Medium	5.09/Pair
SM586	Large	5.35/Pair
SM587	X-Large	5.85/Pair

## GRAIN COWHIDE ROPERS GLOVES

- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Comes with adjustable strap with snap
- Unlined
- Thumb Style: Keystone
- Cuff Style: Hemmed



SFV183

Model No.	Size	PROMO PRICE
SFV183	Small	7.55/Pair
SFV184	Medium	7.85/Pair
SFV185	Large	8.09/Pair
SFV186	X-Large	8.39/Pair

## NATURAL RUBBER LATEX COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit



**ZENITH**  
Safety Products

Model No.	Size	PROMO PRICE
SEB865	7, Small	1.29/Pair
SAL255	8, Medium	1.29/Pair
SAL256	9, Large	1.29/Pair
SAL257	10, X-Large	1.29/Pair
SAL258	11, 2X-Large	1.29/Pair

## NITRILE FOAM COATED GLOVES

- Lightweight nitrile foam palm coating
- Ultra light nitrile foam offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Excellent abrasion resistance
- Knit wrist prevents debris from entering the glove



**ZENITH**  
Safety Products

Model No.	Size	PROMO PRICE
SBA611	6, X-Small	1.35/Pair
SBA612	7, Small	1.35/Pair
SBA613	8, Medium	1.35/Pair
SBA614	9, Large	1.35/Pair
SBA615	10, X-Large	1.35/Pair
SBA616	11, 2X-Large	1.35/Pair

## LIGHTWEIGHT NITRILE FOAM PALM-COATED GLOVES

- 13-gauge seamless knitted polyester shell
- Excellent abrasion resistance
- Superior dexterity and comfort
- EN 388 Performance Levels: 4021
- EN 420 Dexterity Level: 5



**ZENITH**  
Safety Products

Model No.	Size	PROMO PRICE
SAM629	6, X-Small	1.35/Pair
SAM630	7, Small	1.35/Pair
SAM631	8, Medium	1.35/Pair
SAM632	9, Large	1.35/Pair
SAM633	10, X-Large	1.35/Pair
SAM634	11, 2X-Large	1.35/Pair

## BLACK NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Black liner with grey palm hides the dirt and extends life
- Premium comfort and breathability
- Excellent dry grip
- Superior abrasion, cut and puncture resistance
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering glove
- EN 388 Performance Levels: 4123
- EN 420 Dexterity Level: 5



**ZENITH**  
Safety Products

Model No.	Size	PROMO PRICE
SAP931	7, Small	0.82/Pair
SAP932	8, Medium	0.82/Pair
SAP933	9, Large	0.82/Pair
SAP934	10, X-Large	0.82/Pair
SAP935	11, 2X-Large	0.82/Pair

## POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion and tear resistance
- Gauge: 13
- EN 388 Performance Levels: 4342, EN 420 Dexterity Level: 5



**ZENITH**  
Safety Products

Model No.	Size	PROMO PRICE
SFV077	7, Small	3.40/Pair
SFV078	8, Medium	3.40/Pair
SFV079	9, Large	3.40/Pair
SFV080	10, X-Large	3.40/Pair
SFV081	11, 2X-Large	3.40/Pair

## HEAVYWEIGHT SAFETY CUFF GLOVES

- High density 100% cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Gauge: Non-Knit
- Coating: Nitrile
- EN 388 Performance Levels: 4232

SAN448

**ZENITH**  
Safety Products



SAN446



Model No.	Type	Size	PROMO PRICE
SAN445	Fully Coated	10, X-Large	2.29/Pair
SAN446	Fully Coated	11, 2X-Large	2.29/Pair
SAN447	Palm Coated	10, X-Large	2.20/Pair
SAN448	Palm Coated	11, 2X-Large	2.20/Pair

## Z700 SERIES EYEWEAR

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3



SFU768

Model No.	Lens Tint	Lens Coating	PROMO PRICE
SAX442	Clear	Anti-Scratch	2.19
SFU769	Clear	Anti-Fog/Anti-Scratch	2.59
SFU768	Grey/Smoke	Anti-Scratch	2.39

## Z2000 SERIES EYEWEAR

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3



SEK291

Model No.	Lens Tint	PROMO PRICE
SEK291	Clear	3.45
SDN697	Grey/Smoke	3.70
SDN698	Amber	3.70
SDN699	I/O Blue Mirror	4.10
SDN700	Clear w/Anti-Fog	3.95

## CONSTRUCTION ROOFER'S KIT

- Durable, lightweight, 100% polyester, pass-thru style 5-point harness
- Reusable roof anchor installs to sloped or flat wood and metal decking roofs, resists corrosion, includes a hinged design with D-ring
- Durable and lightweight corrosion resistant rope grab with attached 2' shock absorber; includes a built-in gravity latch for added security
- 50' polyester/polypropylene 5/8" lifeline with snap hook at one end, sewn termination at the other end



Model No.	MFG No.	PROMO PRICE
SDT008	2199910	139.00

## STANDARD-DUTY BLUE TARPAULINS

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- 8 x 8 weave density
- 100 micrometres (4-mil) thick




Model No.	Dimensions*			PROMO PRICE
	W'	x	L'	
NI768	5	x	7	2.55
NI769	6	x	8	3.40
NI770	8	x	10	5.55
NI771	10	x	12	8.45
NI772	10	x	20	13.95
NI773	12	x	16	13.40
NI774	16	x	20	22.35
NI775	18	x	24	32.65
NI776	20	x	30	45.10
NI777	24	x	30	50.40
NI778	30	x	40	84.75
JC510	30	x	50	105.00
JC511	40	x	50	149.00
NI779	40	x	60	169.00

\* Finished sizes may vary due to hem allowance

## HEAVY-DUTY WHITE TARPAULINS

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- 10 x 10 weave density
- 150 micrometres (6-mil) thick
- Four corner patches



Model No.	Dimensions*			PROMO PRICE
	W'	x	L'	
NI780	6	x	8	4.95
NI781	8	x	10	8.00
NI782	10	x	12	12.20
NI783	12	x	16	20.15
NI784	16	x	20	33.20
JC512	18	x	24	44.95
JC513	20	x	30	62.20
NI785	24	x	30	73.45
JC514	30	x	40	125.00
JC515	30	x	50	159.00
JC625	40	x	50	205.00
JB508	40	x	60	245.00

\* Finished sizes may vary due to hem allowance