

RIDEOUT

TOOL & MACHINE INC.

222 KENMOUNT RD.
ST. JOHN'S, NL

709-754-2240
info@rideouttool.com

20 MAPLE VALLEY RD.
CORNER BROOK, NL

709-634-3294
cbinfo@rideouttool.com

170 AKERLEY BLVD.
DARTMOUTH, NS

902-468-2060
nsinfo@rideouttool.com

ONLINE

rideouttool.com

SHOP ESSENTIALS PROMOTION!

SITERUNNER 3-Shelf Folding Jobsite Cart

- Designed for tradesman end use applications holding up to 100 pounds per shelf or 300 pounds total
- T-channel accessory rail allows you to effortlessly attach a variety of accessories and tools improving productivity and organization
- Palm grip handles optimize control and maneuverability on the jobsite while doubling as a hanging notch for tool belts, hard hats, cords, and more
- Overall Dim.: 30-3/5" L x 20" W x 42-1/2" H
- Distance Between Shelves: 13.75"
- Caster/Wheel Material: Thermoplastic Rubber (TPR)
- Caster/Wheel Size: 5" dia. x 1" W
- Top Shelf Height: 38"
- Lip Height: 0.5"
- Caster/Wheel Configuration: (4) Swivel, (2) Locking

 CRESCENT



Model No.	MFG No.	Promo Price
UAY631	F3SCBL	365.00

OPEN GEAR™ Lubricant

- Contains moly and EP additives for high-load lubrication
- Highly adhesive
- Water- and dirt-resistant
- Resists loads up to 90 000 lbs/in²
- Format: 400 ml
- Colour: Grey
- Materials: All types of metals

 **WALTER**
Surface Technologies



Model No.	MFG No.	Promo Price
AA483	530E102	31.90

No Throw Partial Encapsulated Wire Wheel

- Felton's new "No Throw" brush features patented plastic injection technology that holds the wire securely in place, resulting in a completely solid brush for aggressive brushing applications
- Crimped style ideal for light to medium duty applications
- Fill Diameter: 0.012"
- Application Type: Steel
- Arbor Size: 1/4"
- RPM: 20000



Model No.	MFG No.	Brush Diameter"	Promo Price
UAK148	NT380	3	34.50

Salt & Sand Containers

 **RMP**
PRODUCTS OF ENTRETIEN - MAINTENANCE PRODUCTS

- Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter
- Constructed of rugged BPA-free UV-resistant polyethylene
- Built-in pockets for forklifts allow the bins to be moved without emptying them
- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H

JK232



NO614

NO615

Model No.	Description	Colour	Promo Price
NO614	Container	Yellow	130.00
NO615	Container	Grey	130.00
JK232	Polyethylene Scoop, 2L	Yellow	6.70

Printed in Canada

Pricing in effect until December 26, 2025 or while quantities last. Taxes and freight extra. Issue #SDW225102NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

AURORA **ARX**™ System TOOLS

The rugged Arx® Stackable Tool Storage System delivers versatile storage solutions, ensuring your tools are always at hand when you need them



Tool Crate with Dividers

- Easy to stack more crates or attach a handle
- Overall Dimensions: 22-7/10" L x 14-1/10" W x 9-3/10" H
- Internal Dimensions: 21" L x 11.6" W x 8.7" H
- Capacity: 35 Litres
- Weight Capacity: 110 lbs.

AURORA
TOOLS



UAX739



UAX738

Model No.	Description	Promo Price
UAX738	Toolbox Crate	43.45
UAX739	Carry Handle for Toolbox Crate	15.70

Long Rolling Tool Chest

- Impact-resistant polycarbonate lids
- Aluminum mounting rails
- Ruler for quick measuring
- Rubber covered wheels
- Overall Dimensions: 31-1/5" L x 15-1/5" W x 12-7/10" H
- Internal Dimensions: 25" L x 9.7" W x 9.1" H
- Capacity: 50 Litres
- Weight Capacity: 110 lbs.

AURORA
TOOLS



Model No.	Promo Price
UAX716	152.00

Rolling Tool Chest

- Telescopic aluminum handle
- Long & short bins for extra storage
- Overall Dimensions: 23-4/5" L x 16" W x 15-3/5" H
- Internal Dimensions: 21.1" L x 10.43" W x 11.25" H
- Capacity: 44 Litres
- Weight Capacity: 110 lbs.



Model No.	Promo Price
UAX717	116.00

AURORA
TOOLS

Toolboxes

- Weight Capacity: 110 lbs.
- Payload Capacity: 265 lbs.

AURORA
TOOLS

Medium
UAX724



Large
UAX725



Small
UAX723



Model No.	Overall Dim.			Capacity Litres	Promo Price
	D"	x W"	x H"		
UAX723	23	x 15	x 7.5	15.4	71.85
UAX724	23	x 15.2	x 12.6	38	72.50
UAX725	23	x 15.2	x 16.5	52	95.25

Drawer Toolboxes

- Overall Dimensions: 23-1/10" L x 15" W x 13-2/5" H
- Weight Capacity: 52.9 lbs.

AURORA
TOOLS

UAX721



UAX722



Model No.	No. of Drawers	Drawer Dim.			Capacity Per Drawer	Promo Price
		L"	x W"	x H"		
UAX721	2	18.4	x 11.3	x 4.3	26 lbs.	136.00
UAX722	3	18.4	x 11.3	x 2.7	17 lbs.	165.00

Rolling Toolbox Base

- Telescopic & removable handle
- 9" Rubber covered wheels
- Overall Dimensions: 25-1/5" L x 19" W x 26" H
- Capacity: 52 Litres
- Wheel Diameter: 9"
- Payload Capacity: 220 lbs.
- Weight Capacity: 100

AURORA
TOOLS



Model No.	Promo Price
UAX718	134.00

Medium Organizers

- Overall Dimensions: 10.3" L x 14.3" W

AURORA
TOOLS

UAX733

UAX736



Model No.	Height"	Weight Capacity	Capacity Litres	Promo Price
WITH BINS				
UAX733	3	19.8 lbs.	2.5	24.40
UAX735*	4.2	26.5 lbs.	4	28.45
WITH MULTILAYER FOAM INSERTS				
UAX734	3	19.8 lbs.	2.5	25.60
UAX736*	4.2	26.5 lbs.	4	29.85

* Tall

Large Organizers

- Overall Dimensions: 21" L x 15" W x 3" H
- Weight Capacity: 39.7 lbs.
- Capacity: 6 Litres

AURORA
TOOLS

UAX731

UAX732



Model No.	Description	Promo Price
UAX731	with Bins	38.20
UAX732	with Multilayer Foam Inserts	40.05

Dollies

- Swivel 360° wheels with brake
- Bucket holder
- Foot step
- UAX720: Equipped with two large, rubber-covered rear wheels
- Payload Capacity: 264 lbs.

AURORA
TOOLS

UAX720



UAX719

Model No.	Description	Overall Dim. L" x W" x H"	Promo Price
UAX719	Swivel Dolly	24.6 x 19.8 x 6.3	91.00
UAX720	All-terrain Dolly	29.5 x 21.3 x 8.8	114.00

X-Large Organizers

AURORA
TOOLS

- Overall Dimensions: 23" L x 15-1/5" W x 5" H
- Internal Dimensions: 18.4" L x 11.3" W x 4.3" H
- Capacity: 14.5 Litres
- Weight Capacity: 92.6 lbs.

UAX729

UAX730

UAX728



Model No.	Description	Promo Price
UAX728	with Short Bins	52.90
UAX729	with Long Bins	55.35
UAX730	with Multilayer Foam Inserts	61.05

2X-Large Organizers

- Overall Dimensions: 23" L x 15-1/5" W x 6-4/5" H
- Internal Dimensions: 19.9" L x 12.2" W x 5.4" H
- Capacity: 19.5 Litres
- Weight Capacity: 92.6 lbs.

AURORA
TOOLS

UAX726

UAX727



Model No.	Description	Promo Price
UAX726	with Bins	69.00
UAX727	with Multilayer Foam Inserts	72.45

Tops

- Weight Capacity: 264 lbs.

UAX743

UAX737



AURORA
TOOLS

Model No.	Description	Promo Price
UAX737	Plywood Workstation Top	51.30
UAX743	Foam Seat Top	75.75

SST+™ Jobbers Drill Bit



- Round shank drill bit for high tensile steel
- Proven SST heat and surface treatment
- Heavy-duty HSS+Co body construction
 - High-flow flute design
- Material: High Speed Steel
 - Drill Size: 1.5 mm
- Decimal Drill Size: 0.0595"
 - Overall Length: 43 mm
 - Flute Length: 20 mm
 - Point Angle: 135°



Model No.	MFG No.	Promo Price
TCO070	01D515	2.33

SST+™ Jobbers Drill Bit



- For hand-held tools in mild steel
- Quick shank drill bit for high tensile steel
- Unique shank design with six long flats
- Proven SST heat and surface treatment
 - Material: High Speed Steel
 - Drill Size: 1/16"
 - Decimal Drill Size: 0.0625"
 - Overall Length: 13/16"
 - Flute Length: 3/16"
 - Point Angle: 118°



Model No.	MFG No.	Promo Price
TCO073	01A004	2.75

Small Cleaning Scratch Brush

- Ideal for multi-applications
- Brush Length: 1-1/2"
- Overall Length: 7-3/4"
- Wire Rows: 3 x 7
- Trim Length: 1/2"
- Fill Material: Nylon
- Fill Diameter: 0.006"
- Brush Width: 3/4"
- Handle Type: Wood



Model No.	MFG No.	Promo Price
NU537	SB2088N	4.75

Knife with Ratchet Lock


- Comfortable, ergonomic grip
- Durable, high-impact ABS plastic handle
- Stainless steel blade channel
- Preloaded with an 18 mm LB heavy-duty silver snap-off blade
- Durability: Heavy-Duty
- Depth of Cut: 18 mm
- Blade Material: Silver
- Handle Type: Plastic
- Locking Mechanism: Ratchet-Lock



Model No.	MFG No.	Description	Promo Price
PA227	L-1	Knife	8.77
PA239	LB-50B	Replacement Blades, Pack of 50	26.10/Pkg.

Zipcut™ Cut-Off Wheels

- Faster, cooler and freer cutting while requiring less power than standard thin cut-off wheels
- Heavily reinforced for added safety and allows for a true, straight cut every time
- Provides premium performance while resisting twisting and bending
- Exclusive packaging for better protection
- Thickness: 3/64"
- Arbor Size: 7/8"
- Max. RPM: 13300
- Type: 1
- Abrasive Material: Aluminum Oxide
- Grade: A-60-ZIP



VV150

Model No.	MFG No.	Diameter"	Promo Price
VV150	11T042	4-1/2	5.81
VV151	11T052	5	6.41
VV152	11T062	6	8.59
VV154	11T062	7	10.98

Scotch-Brite™ Hand Pads



- Excellent products for hand finishing, polishing, cleaning, blending, deburring of wood, metals and composites
- Ideal for wood finishing, paint preparation and general cleaning
- Can be used dry or with water or solvents
- Pad Size: 6" x 9"

BP486



Model No.	MFG No.	Type of Pad	Colour	Finish	Promo Price
BP486	SB18451	Heavy-duty	Tan	Coarse	4.33
BP482	SB18453	Blending	Grey	Medium	2.93
BP484	SB04229	General purpose	Maroon	Very Fine	1.33
BP492	SB14049	Ultra fine	Light Grey	Ultra fine	1.33

Airpro Blow Gun – High Performance Blow Gun

- Curved tip 4" long
- A very compact gun with exclusive features
- The contoured body lies perfectly in the palm of the hand and with only one finger you can operate the progressive valve which adjusts the flow with a sensitive and gradual manner
- The body is made to protect the palm of the hand against the connection fittings
- Working Temperature:
-4° F to 176° F (-20°C to 80°C)
- Air Inlet: 1/4" NPT
- Air Consumption: 9.2 SCFM
- Maximum Working Pressure: 150 PSI
- Tip: Standard

TOPRING

Model No.	MFG No.	Promo Price
TA831	60.320.20	18.80



Metalmaster® Compound Snips

- Non-slip serrated jaws
- Recommended Max. Capacity Low Carbon Cold Rolled Steel
- Cut Length: 1-1/2"
- Cutting Capacity: 18-Gauge Steel
- Overall Length: 9-3/4"
- Handle Style: Straight
- Handle Colour: Yellow
- Cut Style: Straight

CRESCENT
WISS



Model No.	MFG No.	Promo Price
VQ282	M3R	22.00

BASH® Soft Face Sledge Hammer

- Unbreakable® Handle Technology
- Steel core eliminates breaking during overstrikes
 - Hi-Vis trademark green head
- Drop forged head is hardened to 30HRC
 - Head Weight: 10 lbs.
 - Face Finish: Plain
- Handle Type: Cushion
 - Overall Length: 36"
 - Face Diameter: 2-1/3"

WILSON



Model No.	MFG No.	Promo Price
TYO610	WL9-41036	269.00

Long Arm Ball Hex Key Set

- Made of premium steel for superior durability and corrosion resistance
- Deliver up to 33% more torque than ordinary hex keys
- Keys 1/8" & 3mm and larger have size permanently laser marked on the key
- Ball end design offers greater access to fasteners from different angles in hard to reach applications
- Includes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm
- No. of Keys: 22
- Drive Type: Metric & Imperial

GRAY TOOLS

Model No.	MFG No.	Promo Price
TYP991	68722	46.60



True Blue® Combination Square

- Blade Lock® for fast adjustment and secure hold
 - Precision machined working surfaces
- Dual-Pitch™ vial for checking 1 and 2 degree slope
 - Rational head dimensions
 - Blade Length: 12"
 - Graduations: 1/16"
 - Blade Material: Steel
 - Blade Finish: Plain

Empire



Model No.	MFG No.	Promo Price
426-1080	E250	15.80

Arsenal® 5873 Wrench Roll Up

- Fits most wrench sets
- Features nickel-plated eyelets for hanging
- Colour: Black
- Material: Polyester
- No. of Pockets: 14
- Dimensions:
26-1/2" L X 16-1/2" H

ergodyne
WORK GEAR



Model No.	MFG No.	Promo Price
TEQ976	13775	28.10

Master Driver Bit Set

- Made from S2 modified shock resistant steel for professional performance and durability
- Proprietary precision CNC machined tips for excellent fit in fastener recess
- Comprehensive set of common and hard to find bits for industrial and professional construction applications
- Drive Size: 1/4" Hex
- No. of Pieces: 100
- **Includes:**
 - 1/4" x 1" socket adapter, 1/4" x 2" socket adapter, Y-adapter, 1/4" square drive bit socket holder, Magnetic bit holder
 - Phillips bits: #0, #1, #1 ACR, #2, #2 ACR, #2R, #2R ACR, #3, #3 ACR, #4
 - Pozidriv® bits: #0, #1, #1 ACR, #2, #2 ACR, #3, #3 ACR, #4
 - Square bits: #0, #1, #2, #3, #4, #5
 - Torx® bits: 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40, 45, 50
 - Clutch head bits: 5/32", 3/16", 1/4"
 - Hex bits: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"
 - Slotted bits: 3-4, 4-5, 5-6, 6-8, 8-10, 10-12, 12-14
 - Triple square bits: #4, #5, #6, #8
 - Torq-Set® bits: #8, #10, 1/4", 5/16", 3/8"
 - Spanner bits: #4, #6, #8, #10, #12
 - Torx® Tamper bits: 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40
 - Hex tamper proof bits: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"
 - Tri-Wing® bits: #1, #2, #3, #4, #5



Model No.	MFG No.	Promo Price
UAI342	VHS100A	61.97

ITM-1 Extra-Long Telescopic Magnetic Pick-Up Tool

- Cushion-grip
- Strength: 3.5 lbs.
- Length: 33-1/4"



Model No.	MFG No.	Promo Price
MLA482	27292	19.00

Super 8 Plus™ Multibit Screwdriver

- Comes standard with seven 3" long hex power bits
- 1/4" hex power bits ideal for use in drills and impact drivers
- Bits are precision-machined for reliable bit-to-screw fit
- Removable and reversible stainless-steel nut driver (1/4" and 5/16")
- Handle Type: Plastic



Model No.	MFG No.	Promo Price
NKB886	98880	25.11

Tamper Proof Driver Bit Set

- Made from S2 modified shock resistant steel for professional performance and durability
- Proprietary precision CNC machined tips for excellent fit in fastener recess
- Heavy-duty drop resistant storage case
- Drive Size: 1/4" Hex
- No. of Pieces: 50
- **Includes:**
 - 1/4" x 1/4" socket adapter, Quick-release bit holder
 - Phillips bits: #0, #0 ACR, #1, #1 ACR, #2, #2 ACR, #3, #3 ACR
 - Torx® Tamper bits: 5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40
 - Hex tamper proof bits: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"
 - Tri-Wing® bits: #2, #3, #4, #5
 - Torq-Set® bits: #4, #6, #8, #10
 - Spanner bits: #6, #8, #10, #12
 - Triple square bits: #4, #5, #6, #8
 - Clutch head bits: 5/32", 3/16", 1/4"
 - Phillips Square-Drive® bit: 2-2
 - 1/4" square drive socket



Model No.	MFG No.	Promo Price
UAI341	V50-1TP	42.90

Rivet Gun

- Precision design and manufacturing prevents pin rotation, which can cause elongation of the engaging holes and premature tool failure
- Sets up to 3/16" stainless steel rivets
- Includes Four Mounted Nosepieces: 3/32"; 1/8"; 5/32"; 3/16"; service wrench
- Overall Dimensions: 11-1/4" L x 3-1/2" W x 1-1/4" H



Model No.	MFG No.	Promo Price
TYR836	B200R	54.50

CK3201T Knotted Twist Wire Cup Brush

- Knot twisted wire cup brushes offer a more aggressive cutting action than crimped brushes due to the impact action of the knots and the stiffer wire
- Made with high-resistance carbon steel piano wire for long life when used for heavy duty brushing applications
- Brush Diameter: 3"
- Fill Diameter: 0.02"
- Arbor Size: 5/8"-11
- Filament/Wire Type: Twist Knot
- Fill Material: Carbon Steel
- Max. Speed: 12500 RPM



Model No.	MFG No.	Promo Price
MLA417	554203	18.50



Heavy-Duty MorPad Assembly

- Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°
- Smooth faced
- For Use With: 1200 / 1800 / 2400 / 4800 / SGL / SQ / STB / GSL / GSM / SLV / GSV



Model No.	MFG No.	Promo Price
TN208	3100736	28.10

312A Bottle Jack

- Can be used in vertical and horizontal positions (valve side down)
- Factory pre-tested to 150% of rated capacity
- Heat treated piston for maximum strength
- Heavy duty steel saddle for secure lifts



STRONGARM®

Model No.	MFG No.	Lifting Capacity	Height" Lowered	Height" Raised	Promo Price
LA812	30106	12 Ton(s)	8-1/2	17	142.00

Hose Reel

- Individually powder-coated steel components provide maximum protection from premature corrosion
- Inlet hose is plumbed into the base to eliminate the risk of stress on the swivel
- Low-pressure 1/2 in. x 50 ft. PVC hose included; hose is for air or water service only
- Guide arm adjusts to seven positions
- Hose Type: Water, Air
- Hose Capacity: Single Hose
- Hose Length: 50'
- Hose End: 3/8" NPTM
- Working Pressure: 300 psi
- Reel Outlet: 1/2" NPTF
- Drive Type: Spring



REELCRAFT

Model No.	MFG No.	Inner Hose Dia."	W"	Reel Dim. x D" x H"	Promo Price
TN319	7850 OLP	1/2	19.75	x 7 x 20.25	899.00

Pro™ Pinch Point Crowbar

Garant

- Dimensions: 60" L x 1.5" W x 1.5" H
- Industrial grade crowbar
- Its flat surface allows for more control and efficient energy transfer
- Point/Tip Width: 1.25"
- Handle Material: Forged and Tempered Steel
- Handle Type: Straight



Model No.	MFG No.	Promo Price
TE447	CB60PC	66.90

872B Jack Stand

- Material - Ductile iron support column with ratchet teeth provides multiple height positions
- Applications - Used and sold in pairs for supporting automotive vehicles after lifting
- Features - Double-locks mechanism with both handle locks and mobility pin for increased safety
- Design - Notched saddles for use with unitized vehicles. Welded foot pads resist sinking into soft ground or asphalt
- Lock Type: Locking Handle/Ratchet



STRONGARM®

Model No.	MFG No.	Capacity	Height" Lowered	Height" Raised	Promo Price
LA408	32248	12 Ton(s)	19-1/4	28-1/3	379.00/Pair

Swivel Work Stool

AURORA TOOLS

- Adjustable tool seat with magnetic parts tray for convenient extra storage
- Plastic chassis
- Adjustable seat height
- White logo silk screened on the top of the stool
- 360° swivel
- No. of Wheels: 4
- Weight Capacity: 300 lbs.
- Seat Pad Dim.: 16 cm H x 42 cm W
- Base Diameter: 3.75 cm
- Wheels Diameter: 2.5"
- Tray Colour: Blue
- Overall Height: 17" - 22-1/2"
- Colour: Black & Blue



Model No.	Promo Price
UAY308	85.90

Detex® Heavy Duty Silicone Lubricant

- A silicone-rich, water-based lubricant that eliminates sticking, binding, and squeaking while protecting rubber and plastic parts
- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur
- Safe on most surfaces, including rubber and plastics
- Odourless formula reduces potential transference to foods
- Accepted for use in Canadian food processing facilities



Model No.	MFG No.	Format	Container Type	Promo Price
AH203	51516	369 g	Aerosol Can	24.99

Detex® FoodLube® Sugar Dissolving Fluid

- Rapidly dissolves and removes sugar-based soils, keeping food and beverage equipment fully operational
- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur
- Release agent eases future cleaning of sticky soils
- Provides short-term corrosion protection on exposed metal surfaces
- Accepted for use in Canadian food processing facilities



Model No.	MFG No.	Format	Container Type	Promo Price
AH204	C57728	828 ml	Trigger Bottle	49.90
AH205	C57701	3.78 L	Bottle	151.00

Evapo-Rust® Super Safe Rust Remover

- Removes even heavy rust completely to bare metal
- No scrubbing or sanding required
- Non-toxic, non-corrosive, non-flammable
- Since Evapo-Rust® Super Safe Rust Remover is reusable, one gallon will remove 1/2 lb of dry rust
- Ready-to-use formula, no mixing required



AH141



AH143

Model No.	MFG No.	Format	Container Type	Promo Price
AH141	ER070	946 ml	Jug	11.80
AH142	ER071	3.78 L	Jug	31.40
AH143*	ER019	13.2 L	Pail	110.00

*Dip basket included

Detex® Food Grade Electronic Cleaner

- Removes dirt, moisture, and oxides from electronic equipment
- NSF K6 electronic cleaner can be used anywhere within a facility where incidental food contact may occur
- Plastic-safe formula can be used on a variety of surfaces
- Fast drying and residue-free for efficient maintenance cycles



Model No.	MFG No.	Format	Container Type	Promo Price
AH215	C58116	312 g	Aerosol Can	35.90

LPS 3® Premier Rust Inhibitor

- Protects up to two years
- Stops rust and corrosion
- Provides non-sling lubrication
- Non-flammable propellant
- Provides anti-seize coating
- Safe to use on rubber, fabric, plastics and paints
- Accepted for use in Canadian food processing facilities



Model No.	MFG No.	Format	Container Type	Promo Price
AA808	C30316	380 ml	Aerosol Can	32.49
AB559	C00322	20 oz.	Trigger Bottle	41.90
AB558	C03128	3.78 L	Gallon	156.00

Knock'er Loose™ Penetrating Solvent

- Super penetrant that is designed to quickly loosen and free seized, bound or frosted fasteners
- Industrial strength
- Low viscosity
- Quickly permeates rust, scale, gum, grease and corrosion



Model No.	MFG No.	Format	Container Type	Promo Price
AF104	73020	16 oz.	Aerosol Can	19.99

Polyurethane Adhesive Sealant

- High-strength bonding to replace mechanical fasteners and rivets
- Permanently elastic to allow joint movement
- 50-60 minute skin time; paintable, once skin forms
- Good UV resistance
- Colour: Black



3M

Model No.	MFG No.	Format	Container Type	Promo Price
AMB591	560-CART-BLK	10.3 oz.	Cartridge	19.99

Fire Barrier Sealant

- Ready-to-use elastomeric silicone firestop
- Typical applications include blank openings, dynamic and static construction joints and through penetrations
- Acts as a barrier to water leakage and airborne sound transmission
- Colour: Grey
- Fire Resistance: Up to 3 hours
- Net Volume: 0.3 L
- Size: 298 ml



3M

Model No.	MFG No.	Container Type	Promo Price
AF186	1000NS-10.1OZ	Cartridge	29.90

Color Guard™ Tough Rubber Coating

- Inhibits rust and corrosion
- Seals, insulates and identifies almost any material in minutes
- Creates a non-slip gripping surface
- Rubber coating won't crack or chip
- Acid and alkali resistant
- Lasts for years
- Use to 200°F
- Container Type: Gallon
- Container Size: 1 gallon
- Net Volume: 1 gallon



AC014

LOCTITE

Model No.	MFG No.	Colour	Promo Price
AC014	338125	Black	237.00
AC015	338134	Yellow	260.00
AC017	338128	Blue	239.00

Fixmaster® Magna-Crete® Concrete Repair

- Two-component, rapid setting concrete repair and grouting system
- Chemically resistant to most common liquids and chemicals
- For concrete, wood, glass, steel and other construction materials
- Pourable
- Max temperature 2000°F
- 15 minutes working time
- 1-2 hours, functional cure
- Accepted for use in Canadian food processing facilities
- Colour Family: Grey
- Coverage: 4.8 sq. ft.



AA748

AD917

LOCTITE

Model No.	MFG No.	Container Size	Promo Price
AA748	235572	1 gallon	159.00
AD917	235573	5 gallon	332.00

C5-A™ Copper Based Anti-Seize

- Suspends copper and graphite in a high quality grease
- Protects metal parts from rust, corrosion, galling and seizing at temperatures to 1800°F (982°C)

LOCTITE



Model No.	MFG No.	Format	Container Type	Promo Price
AB467	160796	543 g.	Brush Top Can	42.60

Stainlesscut™ Extreme Pressure Cutting Lubricants

- Prolongs tool life in stainless and other tough alloys
- Produces a better finish
- Safe and pleasant to use



AA509

AA510

WALTER
Surface Technologies

Model No.	MFG No.	Format	Container Type	Promo Price
AA509	53B202	400 ml	Aerosol Can	31.20
AA510	53B203	350 ml	Squeeze Bottle	19.60

201+ General Use Masking Tape

- The tough tape for everyday jobs
- General indoor use
- Light-to-medium duty applications
- Smooth and conformable
- Length: 55 m (180')
- Colour: Tan
- Withstands surface temperatures up to 200°F

3M



Model No.	MFG No.	Width	Rolls /Case	Promo Price
PF504	201+12X55	12 mm (1/2")	72	1.49/Roll
PF505	201+18X55	18 mm (3/4")	48	1.99/Roll
PF506	201+24X55	24 mm (1")	36	2.49/Roll
PF507	201+36X55	36 mm (1-1/2")	24	3.79/Roll
PF508	201+48X55	48 mm (2")	24	4.99/Roll
PF509	201+72X55	72 mm (3")	12	7.59/Roll
PF510	201+96X55	96 mm (3-3/4")	8	10.79/Roll
PF511	201+1490X55	1490 mm (59")	1	204.00/Roll

301+ Performance Masking Tape

3M

- The dependable choice for industrial performance
- Good conformability to irregular surfaces
- Resists paint bleed-through
- Great paint lines
- Yellow backing ensures good visibility
- Withstands surface temperatures up to 107°C (225°F) for 30 minutes
- Length: 55 m (180')
- Colour: Yellow



Model No.	MFG No.	Width	Rolls /Case	Promo Price
PF515	301+12X55	12 mm (1/2")	72	2.99/Roll
PF516	301+18X55	18 mm (3/4")	48	3.99/Roll
PF517	301+24X55	24 mm (1")	36	4.99/Roll
PF518	301+36X55	36 mm (1-1/2")	24	7.39/Roll
PF519	301+48X55	48 mm (2")	24	9.95/Roll
PF520	301+72X55	72 mm (3")	12	14.89/Roll
PF521	301+96X55	96 mm (3-3/4")	8	19.79/Roll

Boot Scraper

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed (mounting hardware not included)
- Easy to clean
- Overall Length: 12"

ZENITH®
Safety Products



Model No.	Promo Price
SFQ526	28.85

401+ High Performance Masking Tape

- Ideal for critical paint masking applications
- High conformability on irregular surfaces and around corners
- Perfect for automotive, specialty vehicle, and industrial markets
- Hand tearable for easy use
- Industrial strength
- Highly conformable to many surfaces
- Superior adhesion to metal, rubber, glass and plastic
- Removes cleanly in one piece with no residue
- Green backing improves visibility and accuracy during paint masking
- Withstands surface temperatures up to 121°C (250°F) for 30 minutes
- Length: 55 m (180')

3M



Model No.	MFG No.	Width	Rolls /Case	Promo Price
AF341	401+-6X55	6 mm (1/4")	96	5.79/Roll
PF527	401+-12X55	12 mm (1/2")	72	5.09/Roll
PF528	401+-18X55	18 mm (3/4")	48	6.09/Roll
PF529	401+24X55	24 mm (1")	36	7.89/Roll
PF530	401+36X55	36 mm (1-1/2")	24	11.49/Roll
PF531	401+48X55	48 mm (2")	24	15.29/Roll
PF532	401+-72X55	72 mm (2")	12	25.09/Roll
PF533	401+-96X55	96 mm (3-3/4")	8	32.69/Roll
PF534	401+-1490X55	1490 mm (59")	1	489.00/Roll

Firestorm™ Intense Ice Melter

- Distinctive orange colour assists in proper application and reduces waste
- Starts melting instantly - faster than most other ice melting products
- Prevents refreezing even under the most challenging conditions
- Safe for children and pets, will not burn skin, and gentle on vegetation



Model No.	MFG No.	Container Size	Melting Point	Promo Price
JB597	8407044	44 lbs. (20 kg)	-35°C (-31°F)	31.99/Bag

Natural Choice™ Ice Melter

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter



Model No.	MFG No.	Container Size	Melting Point	Promo Price
NJ140	8407020	44 lbs. (20 kg)	-26°C (-14.8°F)	27.99/Bag

Spill Pallets

- Design allows for efficient 'stacking or nesting' that provides for efficient, low cost storage, handling and transportation
- The low profile sump design with strong removable platform allows for ease of use
- Colour: Yellow

SHK131



ZENITH
Safety Products

Model No.	Overall Dim. L" x W" x H"	Spill Capacity	Load Cap. lbs.	Promo Price
2-DRUM				
SHK130	51.5 x 36 x 15	61 US gal	1433	310.00
4-DRUM				
SHK131	57.5 x 57.5 x 12	66 US gal	2755	425.00

Collapsible Roll-Up Spill Berms

- A useful catch-all for small leaks and spills
- This flexible collapsible spill containment berm can fold and roll into a compact size when not in use
- However, when needed, the spill berm can easily unroll and be deployed as a drip pan under pipe fittings, vehicle engines, and small equipment
- Material: Vinyl
- Fabric Weight: 18 oz.
- Thickness: 20.3 mils (0.5 mm)
- Low Working Temperature: -40°F (-40°C)

SHK110



ZENITH
Safety Products

Model No.	Spill Capacity	Dimensions W' x L' x H"	Promo Price
SHK110	15 US gal.	2 x 2 x 6	92.00
SHK111	34 US gal.	3 x 3 x 6	130.00
SHK112	60 US gal.	4 x 4 x 6	170.00

All-Purpose Granular Sorbent

- 99.5% natural diatomaceous earth
- Safely and quickly absorb water, grease, paint, alcohols, solvents, coolants, oils, and fuels
- Useful for spill containment, as a traction aid, and odour control
- Accepted for use in Canadian Food Processing Facilities
- Format: 25-lb. Bag



ZENITH
Safety Products

Model No.	Promo Price
SGX202	16.95

Universal Spill Kit

- Container Type: Bin
- Absorption Capacity: 63 US gal.
- Mobile
- Includes:
 - 100 Sorbent Pads (15" x 17")
 - 4 Sorbent Socks (3" x 120")
 - 4 Sorbent Pillows (18" x 18")
 - 1 Drain Cover (36" x 36")
 - 1 All-Purpose Granular Sorbent (25-lb. Bag)
 - 2 Pairs Nitrile Gloves, XL (10)
 - 2 Pairs of Safety Goggles (One Size)
 - 3 Disposal Bags (26" x 36")

ZENITH
Safety Products



Model No.	Promo Price
SHB360	499.00

Spill Trays

- Keep messy drips and spills off warehouse and factory floors
- Heavy-duty polyethylene construction, will not rust or corrode
- Ribbed bottom keeps cans, pails and other containers elevated above any spills or leaks
- Nestable for easy storage when not in use

ZENITH
Safety Products

SHM676



Model No.	Overall Dim. L" x W" x H"	Spill Capacity	Promo Price
SHM676	12 x 48 x 4.5	12 US gal.	94.95
SHM677	24 x 36 x 4.5	18 US gal.	109.00
SHM678	24 x 48 x 4.5	24 US gal.	135.00
SHM679	30 x 48 x 4.5	30 US gal.	155.00

Bonded Sorbent Rolls

- 100% bonded polypropylene fibre
- More durable than traditional meltblown sorbents
- These sorbents have absorption capacities of more than 25x their weight
- Antistatic and made of up to 90% recycled materials
- Perforated down the centre to help reduce waste
- Spill Type: Universal
- Length: 150'
- Qty/Pkg.: 1

ZENITH
Safety Products

SEH964



Model No.	Weight	Width"	Absorbency /Pkg.	Promo Price
SEH965	Heavyweight	15	25 gal.	115.00/Pkg.
SEH964	Mediumweight	30	40 gal.	179.00/Pkg.

Speedglas™ G5-03 E Welding Helmet 09-0100-20 with G5NC ADF

- Robust, compact design
- Ergonomic, adjustable head suspension
- Compatible with four different welding filters (VC/TW/NC/Passive)
- Offers grinding and cutting modes and extended coverage, all in a slim form factor with low weight
- Viewing Area: 4.2" L x 2.1" W
- ADF Technology: Natural Colour
- Auto Darkening Filter (ADF) Model: G5NC
- Battery Life: 2500 Hours
- Battery Type: ADF: CR2032
- Lens Type: Natural Colour (NC)
- Switching Time (Light-Dark): 0.1 ms @ 73°F (23°C)
- UV/IR Protection: Shade 12 (permanent)
- Welding Process: TIG, MIG/MAG, & most MMA



3M

SAVE MORE! Scan here to take advantage of additional end user rebates!



Model No.	MFG No.	Shade Level	Promo Price
SHN713	7100347631	3/5/8 - 12	289.00

Wildcat Safety Goggles

- Extreme heat resistance, will not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to help increase airflow
- Fits naturally to the contour of your face
- Lightweight and comfortable with a pivot headband that allows for optimal placement
- Ventilation Type: Direct
- Standard(s) Met: ANSI Z87+
- Lens Coating: Anti-Fog
- Band Type: Elastic

Ansell

KLEENGUARD™



TTT946

Model No.	MFG No.	Lens Tint	Promo Price
TTT946	20525	Clear	15.59
TTT947	20526	Grey/Smoke	15.59
TTT950	20529	Shade 5.0	25.25

Lava Brown™ Leather Bib Aprons

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps
- Certification: EN ISO 11611:2015 Class 2/A1+A2

TTU393



Model No.	Length"	Promo Price
TTU393	36	49.99
TTU394	42	54.99
TTU395	48	63.99

Standard Quality Welding Gloves & Mitts

SAO130



SAO131



- Rugged split cowhide leather construction
 - Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Weltd seams at all critical points
 - Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
 - Size: Large
 - Thumb Style: Wing
- **Must be ordered in multiples of 12**

Model No.	Description	Cut Pattern	Promo Price
SAO130	Gloves	Gunn	6.35/Pair
SAO131	One-Finger Mitts	Clute	6.59/Pair

Flame Retardant Jackets

TTU998

- Manufactured from flame retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jacket includes inside pocket and five snaps
- Material: Cotton



Model No.	Size	Chest Measurements"	Promo Price
TTU998	Medium	40-42	45.99
TTU999	Large	44-46	45.99
TTV001	X-Large	48-50	45.99
TTV002	2X-Large	52-54	49.99
TTV003	3X-Large	56-58	54.99
TTV004	5X-Large	64-66	62.99

Supereight™ Roughneck P2A Hardhats

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Class: ANSI Class G, CSA Class C
- Suspension Type: Ratchet
- Certification(s): ANSI Type I



Model No.	MFG No.	Colour	Promo Price
SAM404	P2AQRW09A000	Grey	43.99
SAM406	P2AQRW71A000	Blue	43.99

7" Crown Noryl® Faceshield Headgear

- Crown made of advanced, heat-resistant Noryl® material
- Accepts a wide range of faceshield styles
- This free floating headgear resists heat and features a slot/pin mechanism with locking cams
- The channel grip system mounts windows and grips them in place in a deep recessed channel to secure from dirt and debris
- Suspension Type: Ratchet

FIBRE-METAL®

SHB580

SAP369

SAR046



Model No.	MFG No.	Description	Promo Price
SHB580	F500-H5	Faceshield Headgear	39.99
SAP369	4199CL	Clear Tint Faceshield	16.99
SAR046	4199IRUV3	IR 3.0 Tint Faceshield	40.99

MX-5 Earmuff

- Soft cushion-ribbed open air headband for cool comfort all day long
- Overmolded headband is durable for rugged wear over many shifts
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Lightweight wire frame allows easy cup adjustment yet holds its position for lasting comfort
- Style: Headband
- Meets/Exceeds CSA Class: AL
- NRR dB: 27

MOLDEX



Model No.	MFG No.	Description	Promo Price
SDK993	6120	Headband	36.99
SDK995	6125	Hygiene Kit	15.99

SparkPlugs® Plugstation® Earplugs Dispensers

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Fun colours and this handy dispenser increase compliance
- Mounting bracket with hardware included
- NRR dB: 33

MOLDEX

SE924



Model No.	MFG No.	Description	Pairs/Dispenser	Promo Price
SE924	6644	Uncorded	250	53.99
SE925	6645	Uncorded	500	104.00

Z2200 Series Safety Glasses

- Modern design with extended wrap around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temples provide superior comfort and fit
- Distortion-free
- Standard(s) Met: Meets/Exceeds CSA Z94.3
- Lens Tint: Clear
- Frame: Clear

ZENITH®
Safety Products



Model No.	Lens Coating	Promo Price
SEK293	Anti-Scratch	1.69
SGF245*	Anti-Fog, Anti-Scratch	2.25

* ANSI Z87+/Meets/Exceeds CSA Z94.3

Secure Click™ HF-800 Series Half Facepiece Reusable Respirators

- Comes with a speaking diaphragm that's designed to help provide easier communication during work
- Easy-adjust head cradle buckles, pull straps to tighten, squeeze the buckles to loosen
- Overmolded design for easy assembly/disassembly
- Greater breathability and comfort provided by the quad-flow cartridge system
- Facepiece Material: Silicone
- For Use With: 3M™ Secure Click™ Cartridges and Filters

3M

SGS426



Model No.	MFG No.	Size	Promo Price
SGS427	HF-801SD	Small	51.89
SGS428	HF-802SD	Medium	51.89
SGS426	HF-803SD	Large	51.89

Portable Heater

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min BTU Rating: 2560
- Max BTU Rating: 5200
- Amperage: 6.25 A/12.5 A



Model No.	Promo Price
EA599	55.35

Personal Metal Shop Heater with Thermostat

- Features 3 settings for fan-only, high heat, and low heat
- Automatic overheat protection
- Durable sturdy steel cabinet
- Easy carry handle
- Certifications: cETL
- Power: 750 W & 1500 W
- Voltage: 120 V
- Heat Coverage: 800-1000 sq.ft.
- Power Cord Length: 6'
- Plug Type: Standard



Model No.	Promo Price
EB479	40.95

Portable Heaters

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BTU/H

EB182



EB183



Model No.	Type	Promo Price
EB182	Ceramic	46.95
EB183	Fan-Forced	88.15

Portable Fan-Forced Utility Heater

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- Overheating protection
- Min. BTU Rating: 4435 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 10.8 A/12.5 A



Model No.	Promo Price
EA598	46.30

Heavy-Duty Ceiling Mount Heaters

- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing
- Plug Type: Hardwire
- Voltage: 240 V
- 10-5/8" W x 12-1/2" D x 14" H



EA532

Model No.	Motor Type	BTU/H Rating Min.	BTU/H Rating Max.	Amperage Min.	Amperage Max.	Promo Price
EA532	Open	8530	17060	10.41 A	20.83 A	226.00
EA652	Closed	8530	25600	26.5 A	31.3 A	365.00

Portable Salamander Heater

- Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Over heat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Max. BTU Rating: 34 121 BTU/H
- Fan Motor Type: Enclosed air over, Ball bearing
- Type: Contractor
- Voltage: 240 V
- Wattage: 10080 W



Model No.	Promo Price
EA786	1223.00

Broadcast Spreaders with Stainless Steel Hardware

- Metal gear inside of the gear box
 - Stainless steel hardware in the hopper and pivot shaft
 - Metal control handle
 - Rate setting control on handle for precise adjustments
- Easy three-step assembly
 - Spread Width: 10'-12'
- Includes: Raincover, screen



AURORA
TOOLS

Model No.	Load Capacity	Coverage sq.ft.	Pneumatic Tire Size"	Promo Price
NN138	70 lbs.	15000	10	259.00
NN139	125 lbs.	27000	14	371.00

Scrapers

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Handle Material: Ashwood
- Handle Type: Straight
- Handle Length: 48"
- Blade Material: Tempered steel

Garant



Model No.	MFG No.	Series	Blade"	Promo Price
ND067	NHSW7	Nordic™	7 x 5-1/2	28.95
ND040	AFSW7	Alpine™	7 x 6	52.95
ND115	YFSW9	Yukon™	8-1/2 x 6-1/4	64.95

Heavy-Duty Outdoor Storage Containers

- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift channels and recessed hand holes



NM948

Model No.	Colour	Capacity cu. ft.	Promo Price
30" L X 24" W X 24" H			
ND337	Yellow	5.5	210.00
ND202	Grey	5.5	210.00
48" L X 24" W X 24" H			
NM947	Yellow	10	315.00
NM948	Grey	10	315.00

Salt & Sand Scoops

- Polyethylene scoop ideal for salt and sand, compost and animal feed



PE095



PE096

Model No.	Colour	Capacity	Promo Price
PE095	Yellow	1 gal.	23.95
PE096	White	1 gal.	23.95

Poly Snow Shovels

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



NM809

AURORA
TOOLS

Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"	Promo Price
NM809	Included	19-3/4 x 13-1/8	50-3/4	32.45
NM810	Not Included	19-3/4 x 13	51-3/8	31.60

Poly Snow Pushers

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- Blade Material: Polypropylene



NM811

AURORA
TOOLS

Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"	Promo Price
NM812	Included	21-1/4 x 9-1/4	50-1/2	26.80
NM811	Not Included	24-1/2 x 10-3/4	54-1/2	33.20

Slim Profile Ice Cleats

- Specially designed for flat-soled footwear found in walking and safety shoes
- Rotatable design provides increased traction for both indoor and outdoor use
- Non-spiked anti-slip material provides increased traction on wet surfaces
- Ice-penetrating tungsten carbide studs maximize grip on ice and snow
- Size: One Size
- Traction Type: Stud
- Traction Material: Tungsten Carbide



SGU819



SHE844



Shoe not included

Model No.	MFG No.	Colour	Promo Price
SHE844	V9770870-O/S	Black	33.99/Pair
SGU819	V9770650-O/S	Orange/Yellow	33.99/Pair

Everyday G3 Traction Aids

- Designed for running, walking or working while keeping you safe and secure in ice or snow
- Preformed molded construction for better fit, ease of putting on and increased comfort
- Solid traction pad prevents snow and ice build-up between traction aid and footwear
- Textured lining helps to prevent movement and slipping on sole of shoe or boot
- Traction Type: Stud
- Traction Material: Tungsten Carbide
- Number of Studs per Pair: 12
- Traction Style: Pull-On



SHC574



Shoes not included

Model No.	MFG No.	Size	Promo Price
SHC574	V3551270-S/M	Small, Medium	20.99/Pair
SHC575	V3551270-L/XL	Large, X-Large	20.99/Pair

Heel Traction Aid

- Convenient hook and strap with adjustment system provides a quick, easy, comfortable, and secure fit on a wide variety of footwear
- The Ice Diamond™ spikes and bi-directional tread provide powerful traction with maximum grip
- Ideal for drivers, delivery personnel, or anyone operating machinery where use of conventional, full coverage traction aids may interfere with driving capabilities
- Traction pad can be flipped or slid from underneath the heel to avoid damage to walking surfaces
- Traction Material: Tungsten Carbide



Boots not included



Model No.	MFG No.	Size	Traction Type	Promo Price
SGQ698	V3550470-O/S	One Size	Stud	31.49/Pair

Fleece Balaclava

- Can be used under hardhats
- Protects the head, face & neck from the harsh elements of winter
- Versatile; can be worn as a balaclava, neck warmer or as a dust mask
- Machine wash & air dry
- One size fits all



Model No.	Promo Price
SGJ655	5.15

Hi-Viz Split Cowhide Fitters Thinsulate™-Lined Gloves

- Premium quality
- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Must be ordered in multiples of 12



SED161

SEK238

Model No.	Size	Colour	Promo Price
SED161	Large	Yellow	6.95/Pair
SEK238	Large	Orange	6.95/Pair

NATURAL RUBBER LATEX FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Premium fleece lining
- Resists abrasion, cuts and punctures
- Coating Style: Dipped Palm
- Cuff Style: Knit
- Must be ordered in multiples of 12



SGV157

Model No.	Size	Promo Price
SGV157	Medium	2.85/Pair
SGV158	Large	2.85/Pair
SGV159	X-Large	2.85/Pair
SGV160	2X-Large	2.85/Pair

